

☐ Filomena Buncke PhD, NP, BC	☐ Jill Bruning Hindes, MS, PMHNP- BC	☐ Michael A. Chiarello PhD, NP, BC
-------------------------------	--------------------------------------	------------------------------------

ADMISSIONS REVIEW OF SYSTEMS

PATIENT NA	ME:		DATE:		DOB:
			PHARMACY / TOWN: _		
MARITAL ST	ATUS: SI	NGLE MARRIED	□ DIVORCED □ WIDOW	□ OTHER □	
HOW MUCH	DO YOU	SMOKE PER DAY?			NONE
HOW MUCH	ALCOHO	L DO YOU DRINK I	PER WEEK?		NONE
HOW MANY	CUPS OF	CAFFEINE A DAY	(COFFEE, TEA, SODA W/ C	AFFEINE)	NONE
ALLERGIES 7	TO MEDI	CATIONS: (STATE I	DRUGS AND THEIR REACT	TONS)	□ NONE
OTHER ALLI	ERGIES: (LATEX / FOOD)			□ NONE
			YEAR PERFORMED OR YO		□ NONE
HOSPITALIZ.					NONE
CURRENT W	EIGHT: _		HEIC	GHT:	
MEDICATION	NS OR SU	PPLEMENTS YOU	ΓAKE REGULARLY (INCLU	JDE DOSAGE IF	YOU RECALL) ¬ NONE
FAMILY ME	DICAL H	IISTORY:			
FATHER MOTHER SIBLINGS CHILDREN	AGE	DISEASES	PSYCHIATRIC HISTORY	IF DECEA	ASED, CAUSE OF DEATH

PATIENTS NAME	

OTHER SYMPTOMS OR AREAS OF YOUR BODY THAT ARE BOTHERING YOU:

Neuro	None □	Psychiatric	None □	Eyes	None □
☐ Headache		☐ Depression		☐ Visual Problem	ns
☐ Convulsions		☐ Anxiety		☐ Blurry Vision	
☐ Seizures		☐ Stress/Excess Worr	y	☐ Red Eyes	
☐ Fainting		☐ Drug/Alcohol Issue	S	☐ Other:	
\square A.D.D.		☐ Other:			
☐ Stroke					
☐ Hypertension					
☐ Other:					
Nose	None □	Throat	None □	Mouth	None □
☐ Nasal Allergies		☐ Swallowing Difficu	lty	☐ Dental Probler	ns
☐ Nose Bleeds		☐ Frequent Sore Throa	-	☐ Tongue Proble	ems
☐ Other:		☐ Speech Problems		☐ Canker Sores	
		☐ Other:		☐ Other :	
Neck	None □	Chest	None □	Heart	None □
☐ Swollen Glands		☐ Chest Pain		☐ Murmurs	
☐ Thyroid Problems		☐ Asthma		☐ Palpitations	
☐ Other:		☐ Shortness of Breath		☐ Valve Problem	ns
		□ Cough		☐ Mitral Valve P	Prolapse
		□ T.B.		☐ Angina	•
		☐ Other:		☐ Other:	
Intestinal	None □	Urinary	None □	Genital	
□ Colitis		☐ Urinary Problems		☐ Infection	
☐ Ulcer Gastritis		☐ Urinary Frequency		□ Warts	
☐ Barrett's Esophagus		☐ Burning		☐ Herpes	
□ Polyps		☐ Kidney Stones		☐ Impotence	
☐ Constipation		☐ Other:		☐ Sexual Diffic	culty
☐ Other:					
Upper Extremity	None □	Lower Extremity	None □	Spine	None □
☐ Pain in Arm		☐ Pain in Legs		☐ Low Back Pa	ain
☐ Carpal Tunnel		☐ Knee Pain		☐ Neck Pain	
☐ Shoulder Pain		☐ Hip Pain		☐ Mid Back Pa	iin
☐ Elbow Pain		☐ Ankle Pain		☐ Scoliosis	
☐ Wrist Pain		☐ Tingling		☐ Herniated Di	isc
☐ Other:		☐ Other:		☐ Sciatica	
				☐ Other:	
Systemic	None □				
☐ Weight Loss		☐ Night Sweats		☐ Loss of Ener	gy
☐ Fever		☐ Trouble Sleeping		☐ Arthritis	
☐ Other:					

ANY OTHER HEALTH ISSUES NOT MENTIONED ABOVE?			
THE BEST OF MY KNOWLEDGE, THE QUESTION AND THAT PROVIDENCE			
ANSWERED. I UNDERSTAND THAT PROVIDING DANGEROUS TO MY HEALTH. IT IS MY RESPONSE OFFICE OF ANY CHANGES IN MY MEDICAL STATES.	ONSIBILITY TO INFORM THE DOCTOR'S		
SIGNATURE OF PATIENT, PARENT OR GUARDIAN	DATE		
SIGNATURE OF CLINICIAN	DATE		

MEDICATION AND CONTROLLED SUBSTANCES AGREEMENT

I will take my medication(s) at the dose and frequency prescribed. I will not add or decrease the dose of my prescription(s) without discussing this first with Michael Chiarello, PhD, NPP.

I will comply with scheduled appointments. If I know in advance that I am unable to keep a scheduled appointment, I will arrange to reschedule in advance.

I understand there is a fee for a missed appointment.

Should I miss a medication management appointment, Michael Chiarello, PhD, NPP may decide not to refill my prescription(s) until I can be seen. In some cases, this could mean being without medication until the next visit.

Michael Chiarello, PhD, NPP will be the only person prescribing psychotropic medication for me. I agree not to ask for psychotropic medication from another provider without Michael Chiarello, PhD, NPP's knowledge.

I will not request controlled substances from another provider that are prescribed to me by Michael Chiarello, PhD, NPP. I will inform Michael Chiarello, PhD, NPP if I am prescribed a pain medication or other controlled substance by another physician.

I will consent to random drug testing.

Positive tests for illegal substances or misuse of controlled substances (benzodiazepines, opiates, etc.) will result in immediate discharge from the practice and a referral to a more appropriate program or level of care.

Prescriptions will not be filled early if they are lost, stolen, or destroyed. I agree to protect my medication(s).

This agreement will be placed in my medical record.

I have read and understand the above guidelines.

For women of child bearing age, it may not be safe to take the prescribed medication if you become pregnant. If at any time you are considering pregnancy, or become pregnant, please inform Michael Chiarello, PhD, NPP immediately.

It is understandable that emergencies can occur, and in such occurrences, exceptions to the above guidelines may be made on an individual basis.

		Michael Chiarello PhD, NPP
Signature of Patient	Date Signed	Michael Chiarello, PhD, NPP

All Island Behavioral Health - Informed Consent for Treatment

I give consent for evaluation and treatment t	o be provided to me or my	dependent child by:
☐ Filomena Buncke PhD, NP, BC ☐ Jill Bruni	ng Hindes, MS, PMHNP- BC	☐ Michael A. Chiarello PhD, NP, BC
I understand that, under the Health Insurance certain rights to privacy regarding my protect and will be used to:	•	• • • • • • • • • • • • • • • • • • • •
 Conduct, plan, and direct my treating who may be involved in that treating. Obtain payment from third party perform the conduct normal healthcare operation. 	ment directly or indirectly, ayers,	-
I am aware that the practice of psychotherap cannot be guaranteed. No promises have benefits, side effects, and alternatives of tre treatment have been discussed with me and	been made to me about the catment as well as the con	ne results of treatment. The risks, sequences of non-compliance with
I understand that I need to provide accurate effective treatment. I also agree to play an a	•	•
I understand that I may request in writin disclosed to carry out treatment, payment required to agree to my requested restrictions.	or healthcare operations.	I also understand that you are not
I understand that I may revoke this consent action relying on the consent.	in writing at any time, exce	ept to the extent that you have taken
I understand that I may terminate treatment	at any time.	
My signature below indicates that I understand the opportunity to ask questions about guardian appointed by the court, the client's	the treatment process. If	the client is a minor or has a legal
Signature of Patient or Parent/Guardian	Date	
Printed Name		
Relationship to Patient (if applicable)		
Witness Signature	Date	

PATIENT:	DATE:
LABORATORY & PATHOLOGY	SERVICES CONSENT FORM
Please be sure to use an in-network lab or pathologist k will result in higher out-of-pocket costs.	oecause using an out-of-network lab or pathologist
You are being asked to sign this consent form becaus reasons reflected below. The provider will indicate the mark next to the reason.	
□ One-time testing	
\square Ongoing monitoring (standard order or custom date below)	n profile testing; valid for one year from signature
If you are not certain which labs and pathologists are in your insurance carrier's website.	n-network, please call your insurance carrier or visit
Your insurance carrier requires that you select one of the next to the choice:	ne following choices below by placing a check mark
☐ I will use an in-network lab or pathologist	
□ I will use an out-of-network lab or pathologist. cost share or the entire cost of the lab or pathology self understand that out-of-network labs and pathologists share amounts.	
Please sign below where indicated.	
PATIENT'S SIGNATURE	DATE SIGNED
PROVIDER'S SIGNATURE	DATE SIGNED

All Island Behavioral Health

Statements of Member's Rights

Members have the right to be treated with dignity and respect.

Members have the right to fair treatment; regardless of their race, religion, gender, ethnicity, age, disability or source of payment.

Members have the right to have their treatment and other member information kept private. Only where permitted by law, may records be release without member permission.

Members have the right to easily access timely care in a timely fashion.

Members have the right to know about their treatment choices. This is regardless of cost or coverage by the member's benefit plan.

Members have the right to share in developing their plan of care.

Members have the right to have a clear explanation of their condition and treatment options.

Members have the right to information about their insurance company, its practitioners, services and role in the treatment process.

Members have the right to information about clinical guidelines used in providing and managing their care.

Members have the right to ask their provider about their work history and training.

Members have the right to give input on the Member's Rights and Responsibilities policy.

Members have the right to know about advocacy and community groups and prevention services.

Members have a right to freely file a complaint or appeal and to learn how to do so.

Members have the right to know of their rights and responsibilities in the treatment process.

Members have the right to receive services that will not jeopardize their employment.

Members have the right to list certain preferences in a provider.

Statement of Member's Responsibilities

Members have the responsibility to treat those giving them care with dignity and respect.

Members have the responsibility to give providers information they need. This is so providers can deliver the best possible case.

Members have the responsibilities to ask questions about their care. This is to help them understand their care.

Members have the responsibility to follow the treatment plan. The plan of care is to be agreed upon by the member and provider.

Members have the responsibility to follow the agreed upon medication plan.

Members have the responsibility to tell their provider and primary care physician about medication changes, including medications given to them by others.

Members have the responsibility to keep their appointments. Members should call the providers as soon as they know they need to cancel visits.

Members have the responsibility to let their providers know when the treatment plan isn't working for them.

Members have the responsibility to let their provider know about any problems with paying fees.

Members have the responsibility to report abuse and fraud.

Members have the responsibility to openly report concerns about the quality of care they receive.

Patient Name:	
My signature below shows that I have learned responsibilities, and that I understa	0 0 0
Member Signature	Date:
The signature below shows that I have the patient. I have offered the member	
Clinician Signature	Date:

SCREENING Drug Abuse Screening Test (DAST-10) Using drugs can affect your health and some medications you may take. Please help us provide you with the best medical care by answering the questions below. Drugs include marijuana, solvents like paint thinners, tranquilizers like Valium, barbiturates, cocain stimulants like speed, hallucinogens such as LSD, or narcotics like heroin. Drug use also includes using prescription or over-the-counter medications more than directed.		
In the past 12 months	YES	NO
DA1. Have you used drugs other than those required for medical reasons?		
DA2. Do you abuse more than one drug at a time?		
DA3. Are you unable to stop using drugs when you want to?		
DA4. Have you ever had blackouts or flashbacks as a result of drug use?		
DA5. Do you ever feel bad or guilty about your drug use?		
DA6. Does your spouse (or parents) ever complain about your involvement with drugs?		
DA7. Have you neglected your family because of your use of drugs?		
DA8. Have you engaged in illegal activities in order to obtain drugs?		
DA9. Have you ever experienced withdrawal symptoms (felt sick) when you stopped taking drugs?		
DA10. Have you had medical problems as a result of your drug use (such as: memory loss, hepatitis, convulsions, or bleeding)?		

Score 1 point for each question answered "Yes".

DATE:

TOTAL

PATIENT:

DAST-10 SCORES AND ZONES

SCORE	RISK LEVEL	INTERVENTION
0	Zone 1: No Risk	Simple advice: Congratulations this means you are abstaining from excessive use of prescribed or over-the-counter medications, illegal or non-medical drugs.
1 - 2	Zone 2: At Risk Use - "low level" of problem drug use	Brief Intervention (BI). You are at risk. Even though you may not be currently suffering or causing harm to yourself or others, you are at risk of chronic health or behavior problems because of using drugs or medications in excess.
3 - 5	Zone 3: "intermediate level"	Extended BI (EBI) and RT – your score indicates you are at an "intermediate level" of problem drug use. Talk with a professional and find out what services are available to help you to decide what approach is best to help you to effectively change this pattern of behavior.
6 - 10	Zone 4: Very High Risk, Probable Substance Use Disorder	EBI/RT – considered to be at a "substantial to severe level" of problem drug use. Refer to specialist for diagnostic evaluation and treatment.

PATIENT:	DATE:

Responses: From 0 (normal) to 6 (severe depression); statements are provided for 0, 2, 4, 6; 1, 3, 5 are scored as in-between values.

[1] APPARENT SADNESS: Despondency, gloom, and despair that is more than just ordinary transient low spirits

<u>Response</u>	<u>Points</u>
No Sadness.	0
Looks dispirited but does brighten up without difficulty.	2
Appears sad and unhappy most of the time.	4
Looks miserable all the time; extremely despondent.	6

[2] REPORTED SADNESS: Reports of depressed mood regardless of whether it is reflected in appearance. This includes low spirits, despondency, or the feeling of being beyond help and without hope. Rate according to intensity, duration, and the extent to which the mood is reported to be influenced by events.

<u>Response</u>	<u>Points</u>
Occasional sadness in keeping with the circumstances.	0
Sad or low but brightens up without difficulty.	2
Pervasive feelings of sadness or gloominess. The mood is still influenced	
by external circumstances.	4
Continuous or unvarying sadness, misery, or despondency.	6

[3] INNER TENSION: Feelings of ill-defined discomfort, edginess, inner turmoil, or mental tension mounting to panic, dread, or anguish. Rate according to intensity, frequency, duration, and the extent of reassurance called for.

Response	<u>Points</u>
Placid with only fleeting inner tension.	0
Occasional feelings of edginess and ill-defined discomfort.	2
Continuous feelings of inner tension or intermittent panic that the patient	
can only master with some difficulty.	4
Unrelenting dread or anguish; overwhelming panic.	6

[4] REDUCED SLEEP: Reduced duration or depth of sleep compared with the subject's own normal pattern when well.

Response	<u>Points</u>
Sleeps as usual.	0
Slight difficulty dropping off to sleep; slightly reduced, light, or fitful sleep.	2
Sleep reduced or broken by at least 2 hours.	4
Less than 2 – 3 hours of sleep.	6

[5] REDUCED APPETITE: Loss of appetite compared with when well. There may be a loss of desire for food or the need to force oneself to eat.

Response	<u>Points</u>
Normal or increased appetite.	0
Slightly reduced appetite.	2
No appetite and food is tasteless.	4
Needs persuasion to eat at all.	6

PATIENT: DATE:

[6] CONCENTRATION DIFFICULTIES: Difficulties in collecting one's thoughts, mounting to an incapacitating lack of concentration. This is rated according to the intensity, frequency, and degree of incapacity produced.

Response	<u>Points</u>
No difficulties in concentrating.	0
Occasional difficulties in collecting one's thoughts.	2
Difficulties in concentrating and sustaining thought, which reduces the	
ability to read or hold a conversation.	4
Unable to read or converse without great difficulty.	6

[7] LASSITUDE: Difficulty in getting started; slowness in initiating and performing everyday activities.

<u>Response</u>	<u>Points</u>
Hardly any difficulty in getting started; no sluggishness.	0
Difficulties in starting activities.	2
Difficulties in starting simple routine activities, which are carried out with effort.	4
Complete lassitude; unable to do anything without help.	6

[8] INABILITY TO FEEL: Reduced interest in surroundings or in activities that normally give pleasure. The ability to react with adequate emotion to circumstances is reduced.

Response	<u>Points</u>
Normal interest in surroundings and other people.	0
Reduced ability to enjoy usual interests.	2
Loss of interest in surroundings; loss of feelings for friends and acquaintances.	4
Emotionally paralyzed; unable to feel anger, grief, or pleasure; complete or even	
painful failure to feel for close relatives and friends.	6

[9] **PESSIMISTIC THOUGHTS:** Feelings of guilt, inferiority, self-reproach, sinfulness, remorse, or ruin.

Response	<u>Points</u>
None	0
Fluctuating ideas of failure, self-reproach, or self-depreciation.	2
Persistent self-accusation or definite but still rational ideas of guilt or sin;	
increasingly pessimistic about the future.	4
Delusions of ruin, remorse, or unredeemable sin; self-accusations that are	
absurd and unshakable.	6

[10] SUICIDAL THOUGHTS: Feeling that life is not worth living and/or that a natural death would be welcome; presence of suicidal thoughts and the making for preparations for suicide.

Response	<u>Points</u>
Enjoys life or takes it as it comes.	0
Weary of life; only fleeting suicidal thoughts.	2
Probably better off dead; suicidal thoughts common and suicide is considered	
as a possible solution but without specific plans or intentions.	4
Explicit plans for suicide when there is an opportunity; active preparations for	
suicide.	6

TOTAL SCORE _____ 0-6: Absence of symptoms;7-19: Mild Depression;20-34: Moderate depression;35-60: Severe depression.

PATIENT:		DATE:	
	FAGERSTROM TEST FOR	NICOTINE DEPENDENCE	

1.	How soon after you wake up do you smoke your first cigarette?					
	After 60 minutes (0)					
	31-60 minutes (1)					
	6-30 minutes (2)					
	Within 5 minutes (3)					
2.	Do you find it difficult to refrain from smoking in places where it is forbidden?					
	No (0)					
	Yes (1)					
3.	Which cigarette would you hate most to give up?					
	The first in the morning (1)					
	Any other (0)					
4.	How many cigarettes per day do you smoke?					
	10 or less (0)					
	11-20 (1)					
	21-30 (2)					
	31 or more (3)					
5.	Do you smoke more frequently during the first hours after awakening than during the rest of					
the	day?					
	No (0)					
	Yes (1)					
6.	Do you smoke even if you are so ill that you are in bed most of the day?					
	No (0)					
	Yes (1)					
	<u>SCORING</u>					
	0-2 Very low dependence					
	3-4 Low dependence					
	6-7 High dependence					
	8-10 Very high dependence					
	My Score is:					
	My level of dependence on nicotine is:					

PATIENT:	 DATE:
The AUDIT	

PATIENT: Because alcohol use can affect your health and can interfere with certain medications and treatments, it is important that we ask some questions about your use of alcohol. Your answers will remain confidential, so please be honest.

Place an X in one box that best describes your answer to each of the following questions.

QUESTIONS	0	1	2	3	4	SCORE
How often do you have a drink containing alcohol?	(Never)	(Monthly or less)	(2-4 times a month)	(2-3 times a week)	(4 or more times a week)	
How many drinks containing alcohol do you have on a typical day when you are drinking?	(1 or 2)	(3 or 4)	(5 or 6)	(7 or 9)	(10 or more)	
3. How often do you have 5 or more drinks on one occasion?	(Never)	(Less than monthly)	(Monthly)	(Weekly)	(Daily or almost daily)	
4. How often during the last year have you found that you were not able to stop drinking once you had started?	(Never)	(Less than monthly)	(Monthly)	(Weekly)	(Daily or almost daily)	
5. How often during the last year have you failed to do what was normally expected of you because of drinking?	(Never)	(Less than monthly)	(Monthly)	(Weekly)	(Daily or almost daily)	
6. How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	(Never)	(Less than monthly)	(Monthly)	(Weekly)	(Daily or almost daily)	
7. How often during the last year have you had a feeling of guilt or remorse after drinking?	(Never)	(Less than monthly)	(Monthly)	(Weekly)	(Daily or almost daily)	
8. How often during the last year have you been unable to remember what happened the night before because of your drinking?	(Never)	(Less than monthly)	(Monthly)	(Weekly)	(Daily or almost daily)	
9. Have you or someone else been injured because of your drinking?	(No)		(Yes, but not in last year)		(Yes, during the last year)	
10. Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	(No)		(Yes, but not in last year)		(Yes, during the last year)	
					TOTAL	

AUDIT SCORES AND ZONES

SCORE	RISK	INTERVENTION
0 - 7	Zone 1: Low Risk Use	Alcohol education to support low-risk use - provide brief advice
8 - 15	Zone 2: At Risk Use	Brief Intervention (BI), provide advice focused on reducing hazardous drinking
16 - 19	Zone 3: High Risk Use	BI/EDI - Brief Intervention and/or Extended Brief Intervention with possible referral to treatment
20 - 40	Zone 4: Very High Risk, Probable Substance Use Disorder	Refer to specialist for diagnostic evaluation and treatment