



Last Name \_\_\_\_\_ First Name \_\_\_\_\_

Date of Birth: \_\_\_\_/\_\_\_\_/\_\_\_\_ Social Security Number: \_\_\_\_\_

Referring Physician: \_\_\_\_\_ Phone #: \_\_\_\_\_

Physician Address: \_\_\_\_\_

**History of Present Illness**  
Please answer the following questions

**Chief Complaint**

What is the main reason for your visit today?

- |   |   |
|---|---|
| <input type="checkbox"/> Prostate Cancer                  | <input type="checkbox"/> Bladder Cancer             |
| <input type="checkbox"/> Urinary Tract Infections         | <input type="checkbox"/> Hematuria (Blood in Urine) |
| <input type="checkbox"/> Renal Cyst/ Mass                 | <input type="checkbox"/> Kidney Stones              |
| <input type="checkbox"/> BPH (Enlarged Prostate)          | <input type="checkbox"/> Elevated PSA               |
| <input type="checkbox"/> Erectile Dysfunction             | <input type="checkbox"/> Vasectomy                  |
| <input type="checkbox"/> Testicular/Scrotal Swelling/Pain | <input type="checkbox"/> Infertility                |
| <input type="checkbox"/> Urinary Frequency                | <input type="checkbox"/> Urinary Incontinence       |
| <input type="checkbox"/> Other: _____                     |   |

1. Which symptoms best describe you? Check all that apply.

- Frequent Urination—day, night, or both
- Sudden or strong urge to urinate
- Leakage with little or no warning----sometimes unable to make it to the bathroom in time
- Unable to completely empty the bladder-----feels like there is more even after going to the bathroom
- Accidental leakage with physical activity---exercising, sneezing, or coughing
- Bladder or pelvic pain
- Problems with bowel function (if checked, please select symptom below)
  - Accidental loss or leakage of stool
  - Constipation
  - Other
- Erectile Dysfunction (if checked please skip and continue to Erectile Dysfunction Questionnaire)

Have you tried medications to help your bladder symptoms?  Yes  No

If yes, how many different medications have you tried? \_\_\_\_\_

Are you still taking any of these medications?  Yes  No

If no, why have you stopped taking them?

- Did not work as well as expected  Side effects  Expense
- Interaction with other medications  Other

If side effects or other checked, please explain: \_\_\_\_\_

Behavior modifications tried? \_\_\_\_\_  
(I.e., reduced fluid intake, caffeine reduction, Kegel exercises, physical therapy, or lifestyle changes)

**IPSS Symptom Score**

(Bubble ONE number on each line)	Not at All	Less Than 1 Time in 5	Less Than Half the Time	About Half the Time	More Than Half the Time	Almost Always
<b>INCOMPLETE EMPTYING</b> Over the past month or so, how often have you had a sensation of not emptying your bladder completely after you finished urinating?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
<b>FREQUENCY</b> During the past month or so, how often have you had to urinate again less than two hours after you finished urinating?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
<b>INTERMITTENCY</b> During the past month or so, how often have you found you stopped and started again several times when you urinated?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
<b>URGENCY</b> During the past month or so, how difficult have you found it to postpone urination?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
<b>WEAK STREAM</b> During the past month or so, how often have you had a weak urinary stream?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
<b>STRAINING</b> Over the past month, or so have you had to push or strain to begin urination?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5
	None	1 Time	2 Times	3 Times	4 Times	5 or more Times
<b>NOCTURIA</b> Over the past month, how many times did you most typically get up to urinate from the time you went to bed until the time you got up in the morning?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5

Add the score for each number ABOVE and write the total in the space to the right: \_\_\_\_\_

Symptom Score: 1-7 (Mild) 8-19 (Moderate) 20-35 (Severe)

Quality of Life	Delighted	Pleased	Mostly Satisfied	Mixed	Mostly Dissatisfied	Unhappy	Terrible
If you were to spend the rest of your life with urinary condition the way it is now, how would you feel about that?	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5	<input type="radio"/> 6



**Erectile Dysfunction**

(BUBBLE in ONE number on each line)						
How <u>often</u> were you able to get an erection during sexual activity?	No sexual activity <input type="radio"/> 0	Almost never or never <input type="radio"/> 1	A few times (much less than half the time) <input type="radio"/> 2	Sometimes (about half the time) <input type="radio"/> 3	Most times (much more than half the time) <input type="radio"/> 4	Almost always or Always <input type="radio"/> 5
When you had erections with sexual stimulation, how often were your erections <u>hard enough</u> for penetration?	No sexual activity <input type="radio"/> 0	Almost never or never <input type="radio"/> 1	A few times (much less than half the time) <input type="radio"/> 2	Sometimes (about half the time) <input type="radio"/> 3	Most times (much more than half the time) <input type="radio"/> 4	Almost always or Always <input type="radio"/> 5
When you attempted sexual intercourse, how often were you able to <u>penetrate</u> (enter) your partner?	Did not attempt intercourse <input type="radio"/> 0	Almost never or never <input type="radio"/> 1	A few times (much less than half the time) <input type="radio"/> 2	Sometimes (about half the time) <input type="radio"/> 3	Most times (much more than half the time) <input type="radio"/> 4	Almost always or Always <input type="radio"/> 5
During sexual intercourse, were you able to <u>maintain</u> your erection after you had penetrated (entered) your partner?	Did not attempt intercourse <input type="radio"/> 0	Almost never or never <input type="radio"/> 1	A few times (much less than half the time) <input type="radio"/> 2	Sometimes (about half the time) <input type="radio"/> 3	Most times (much more than half the time) <input type="radio"/> 4	Almost always or Always <input type="radio"/> 5
During intercourse, <u>how difficult</u> was it to maintain your erection to <u>completion</u> of intercourse?	Did not attempt intercourse <input type="radio"/> 0	Extremely difficult <input type="radio"/> 1	Very difficult <input type="radio"/> 2	Difficult <input type="radio"/> 3	Slightly difficult <input type="radio"/> 4	Not difficult <input type="radio"/> 5
How do you rate your <u>confidence</u> that you could get and keep an erection?		Very Low <input type="radio"/> 1	Low <input type="radio"/> 2	Moderate <input type="radio"/> 3	High <input type="radio"/> 4	Very High <input type="radio"/> 5

Add the score for each number ABOVE and write the total in the space to the right: \_\_\_\_\_

Sexual aids used regularly (bubble in all that apply):

- None    Pills (e.g. Viagra)    Muse    Injections    Vacuum device    Penile Prosthesis

**Past Medical & Social History**



Please answer the following questions

**Medical History**

Please check if **you** have ever had any of the following:

- Parkinson's
  - Heart Disease
  - High Blood Pressure
  - High Cholesterol/triglyceride
  - Stroke/TIA
  - Thyroid
  - Cancer: Type \_\_\_\_\_
  - Kidney/Bladder (Renal Cyst, Renal Mass, Stones)
  - Anxiety, depression or mental illness
  - Blood disorders (abnormal bleeding anemia, high or low white count)
  - Other \_\_\_\_\_
- Multiple Sclerosis
  - Heart Attack
  - Lung (COPD, Asthma)
  - Sexually transmitted disease
  - Diabetes
  - Seizures/Epilepsy

**Surgical History**

- Have you ever had surgery?  Yes  No
- Please list approximate dates and reasons for any surgery (including childbirth):

Date	Surgeries
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

**Medications**

- Please list any prescription medications you are currently taking and their dosages.
- Please indicate if you are taking of the following over the counter medications:

Medication Name	Dosage	Reason for taking

- Aspirin
- Tylenol
- Advil/Motrin/Ibuprofen

**Medications cont.**

- Antacid
- Laxatives
- Decongestants
- Antihistamines
- Vitamins/Mineral Supplements
- Other: \_\_\_\_\_

**Pharmacy**

Pharmacy Name: \_\_\_\_\_  
 Pharmacy Address: \_\_\_\_\_  
 Pharmacy Phone Number: \_\_\_\_\_

**Allergies**

Do you have any allergies?  Yes  No  
 If yes please specify below:

\_\_\_\_\_  
 \_\_\_\_\_

**Social History**

Occupation: \_\_\_\_\_  
 Marital Status:  Single  Married  Divorced  Widow  
 Do you smoke?  Yes  No  
 How much? \_\_\_\_\_  
 Have you smoked in the past?  Yes  No  
 How Long? \_\_\_\_\_  
 Do you drink alcohol?  Yes  No How Much?  
 Beer \_\_\_\_\_  
 Wine \_\_\_\_\_  
 Liquor \_\_\_\_\_  
 Do you drink Caffeine?  Yes  No How Much?  
 Coffee \_\_\_\_\_  
 Tea \_\_\_\_\_  
 Soda \_\_\_\_\_  
 Are you on a special diet?  Yes  No  
 If yes please Specify: \_\_\_\_\_

**Family History**

Please list all serious illnesses in your immediate family;  
 (Example: Diabetes, Cancer, Tuberculosis, Heart disease)

Mother: Age \_\_\_\_\_  Living: \_\_\_\_\_  
 Deceased-Cause: \_\_\_\_\_  
 Father: Age \_\_\_\_\_  Living: \_\_\_\_\_  
 Deceased-Cause: \_\_\_\_\_  
 Sister: \_\_\_\_\_  
 Brother: \_\_\_\_\_



**Review of symptoms**

Are you currently having problems with the following? Circle yes (y) or no (N)

**Constitutional Symptoms**

Fever	Y N
Chills	Y N
Sweats	Y N
Weakness	Y N
Fatigue	Y N

**Eyes**

Blurred Vision	Y N
Double Vision	Y N
Pain	Y N

**Immunologic**

Recurrent Fevers	Y N
Recurrent Infections	Y N
Malaise	Y N

**Neurological**

Confusion	Y N
Numbness/Tingling	Y N
Dizzy Spells	Y N
Headache	Y N

**Endocrine**

Excessive Thirst	Y N
Too hot/Cold	Y N
Excessive Hunger	Y N

**Gastrointestinal**

Abdominal Pain	Y N
Nausea/Vomiting	Y N
Indigestion/heartburn	Y N
Diarrhea	Y N

**Cardiovascular**

Chest Pain	Y N
Palpitations	Y N
Ankle Swelling	Y N

**Integumentary**

Skin Rash	Y N
Boils	Y N
Persistent itch	Y N
Burns	Y N
Skin Lesion	Y N

**Musculoskeletal**

Joint pain	Y N
Neck Pain	Y N
Back Pain	Y N

**Ears/Nose/Throat/Mouth**

Ear Infection	Y N
Sore Throat	Y N
Sinus Problems	Y N

**Genitourinary**

Urine Retention	Y N
Painful Urination	Y N
Urinary Frequency	Y N
Blood in Urine	Y N

**Respiratory**

Wheezing	Y N
Frequent Cough	Y N
Shortness of breath	Y N

**Hematologic/Lymphatic**

Swollen glands	Y N
Blood clotting problems	Y N
Bruising tendency	Y N

**Psychologic**

Depression	Y N
Anxiety	Y N

Physician Signature: \_\_\_\_\_

Date: \_\_\_\_\_